



PRIOPĆENJE

FIRST RELEASE



Molimo korisnike da prilikom uporabe podataka obavezno navedu izvor
Users are kindly requested to mention the data source

GODINA / YEAR IX

SARAJEVO, 20. 2. 2014.

BROJ/ NUMBER 1

ŠUMARSTVO

Forestry

PROIZVODNJA I PRODAJA ŠUMSKIH SORTIMENATA U BIH PREMA ASORTIMANU U IV TROMJESEČJU 2013

PRODUCTION AND SALES OF FOREST ASSORTMENTS IN BOSNIA AND HERZEGOVINA IN 4th QUARTER 2013

Ukupna proizvodnja šumskih sortimenata u Bosni i Hercegovini u četvrtom tromjesečju 2013 god. veća je za 12,56% u odnosu na isti period 2012 god. Proizvodnja sortimenata četinarskih vrsta drveća povećana je za 11,30% dok je proizvodnja sortimenata lišćarskih vrsta veća za 13,72%. Proizvodnja trupaca četinara povećana je za 6,92% dok proizvodnja trupaca lišćara bilježi rast od 11,97%. Rast proizvodnje od 18,02% takođe se bilježi kod ogrijevnog drveta lišćara u odnosu na treće tromjesečje 2012 god. Pad proizvodnje od 3,32% bilježi se kod janskog drveta lišćara i 2,03% kod ostalog dugog drveta lišćara. Najveći pad proizvodnje od 68,69% zabilježen je kod ostalog dugog drveta četinara i 24,07% kod prostornog drveta lišćara. Kod proizvodnje ostalog grubo obrađenog drveta i ogrijevnog drveta četinara radi se o malim količinama sortimenata čije značajno variranje u proizvedenim količinama nema uticaja na promjene u ukupnoj proizvodnji šumskih sortimenata.


Total production of forest assortments in Bosnia and Herzegovina in 4th quarter of 2013 has increased for 12,56% compared to the same period in 2012. The production of coniferous (softwood) assortments is, for 11,30% higher while the production of broadleaf (hardwood) assortments increases for 13,72%. Production of coniferous logs is 6,92% higher while production of broadleaf logs records increase of 11,97%. Increase in production of 18,02% has also been recorded in broadleaf fuelwood compared to 4th quarter of 2012. Production decrease, of 3,32% has been recorded for broadleaf mining wood and 2,03% for other broadleaf long wood. The highest production drop of 68,69% has been recorded in other coniferous long wood and 24,07% in broadleaf cordwood respectively. Other roughly worked wood and coniferous fuelwood are produced in small quantities and its periodical significant changes in produced quantities do not affect variations in total production of forest assortments.

Tabela 1. PROIZVODNJA I PRODAJA ŠUMSKIH SORTIMENATA PREMA ASORTIMANU U IV TROMJESEČJU 2013


Table 1. PRODUCTION AND SALE OF FOREST ASSORTMENTS IN 4th QUARTER OF 2013

	Proizvodnja (Production)			Prodaja (Sale)			
	IV tromjesečje 4 th quarter 2012	IV tromjesečje 4 th quarter 2013	Indeksi Indicies X-XII 2013 X-XII 2012	IV tromjesečje 4 th quarter 2012	IV tromjesečje 4 th quarter 2013	Indeksi Indicies X-XII 2013 X-XII 2012	
	m ³			m ³			
UKUPNO	888.935	1.000.569	112,56	891.014	985.669	110,62	TOTAL
ČETINARA	424.986	472.989	111,30	437.438	468.357	107,07	CONIFEROUS
LIŠČARA	463.949	527.580	113,72	453.576	517.312	114,05	BROAD LEAF
Trupci četinarara	268.090	286.653	106,92	276.781	272.605	98,49	Logs, coniferous
Jamsko drvo četinarara	29.807	30.218	101,38	31.543	27.890	88,42	Mining wood, coniferous
Ostalo dugo drvo četinarara	11.910	3.729	31,31	12.515	3.491	27,89	Other long wood, coniferous
Prostorno drvo četinarara	114.499	151.982	132,74	115.805	163.867	141,50	Cordwood, coniferous
Trupci liščara	129.651	145.165	111,97	139.767	149.518	106,98	Logs, broadleaf
Jamsko drvo liščara	753	728	96,68	1.017	736	72,37	Mining wood, broadleaf
Ostalo dugo drvo liščara	3.357	3.289	97,97	2.957	3.128	105,78	Other long wood, broadleaf
Prostorno drvo liščara	27.132	20.601	75,93	25.047	20.303	81,06	Cordwood, broadleaf
Ogrijevno drvo četinarara	680	407	-	794	496	-	Fuelwood, coniferous
Ogrijevno drvo liščara	303.041	357.635	118,02	284.720	343.429	120,62	Fuelwood, broadleaf
Ostalo grubo obrađeno drvo	15	162	-	68	206	-	Other wood, roughly worked

Graf 1. Proizvodnja šumskih sortimenata u Bosni i Hercegovini u 1000 m³ - IV tromjesečje 2012 i 2013 god.
Production of forest assortments in Bosnia and Herzegovina in 1000 m³ - 4th quarter of 2012 and 2013



Graf 2. Procentualno učešće pojedinih sortimenata u ukupnoj proizvodnji šumskih sortimenata u IV tromjesečju 2013 god.
Percentage participation of different assortments in total production of forest assortments in 4th quarter of 2013



Metodološka objašnjenja

Podaci o proizvodnji šumskih sortimenata, obrađeni u ovom priloženju, urađeni su na temelju rezultata obrade entitetskih zavoda za statistiku iz redovitog mjesečnog istraživanja.

Mjesečne izvještaje podnose sva poduzeća koja se bave stalnom proizvodnjom šumskih sortimenata iz šuma u državnoj svojini, bez obzira da li im je iskorištavanje šuma temeljna ili sporedna djelatnost.

Podacima je obuhvaćena samo proizvodnja šumskih sortimenata iz državnih šuma, dok šumski sortimenti proizvedeni u šumama na koje postoji pravo svojine nisu uključeni.

Iskazane količine predstavljaju neto drvenu masu sortimenata izraženu u zapreminskim metrima.

Četinari su vrste drveća iz klase golosjemenica (Gymnospermae), pretežno iz porodice Pinaceae. Ovdje spadaju autohtone, komercijalne vrste drveća kao što su jela (*Abies alba*), smrča (*Picea abies*) te bijeli (*Pinus sylvestris*) i crni bor (*Pinus nigra*). Drvo četinarima ima jednostavniju građu i u međunarodnoj klasifikaciji se, bez obzira na mehanička svojstva označava nazivom *softwood*.

Lišćari su vrste drveća iz klase skrivenosjemenica (Angiospermae). Ovdje spadaju autohtone, komercijalne vrste drveća lišćara kao što su: bukva (*Fagus sylvatica*), hrast kitnjak (*Quercus petraea*) te vrste plemenitih lišćara iz rodova *Fraxinus* (jasen), *Acer* (javor), *Ulmus* (brijest) i *Prunus avium* (divlja trešnja) i ostalih tvrdih i mekih lišćara. Drvo lišćara je složenije građe u odnosu na drvo četinarima i u međunarodnoj klasifikaciji se, bez obzira na mehanička svojstva označava nazivom *hardwood*.

Trupci su šumski drveni sortimenti odgovarajućih fizičkih i mehaničkih svojstava, namijenjeni za dalju mehaničku preradu (piljenje, rezanje ili ljuštenje).

Jamsko drvo obuhvata šumske drvene sortimente povoljnih fizičkih i mehaničkih svojstava čiji se prirodni oblik, dimenzije i svojstva koriste za izgradnju i održavanje jamskih kopova i rudarskih okna. Može se upotrebljavati i za krovne konstrukcije.

Ostalo dugo drvo obuhvata tehničko drvo čiji se prirodni oblik, dimenzije i svojstva koriste za proizvodnju TT stubova, stubova za skele, šipova, jarbola i sl.

Prostorno drvo obuhvata drvo lošijih tehničkih karakteristika, oblo ili cijepano koje se koristi u hemiskoj preradi za proizvodnju celuloze, drvenjače, drvene vune, tanina i sl.

Ogrijevno drvo je drvo namijenjeno neposredno za ogrijev ili proizvodnju drvenog uglja.

Ostalo grubo obrađeno drvo obuhvata sitno tehničko drvo kao što su stubovi za hmelj ili lozu, motke, kolje, štapovi, ručke, obruči, pletarski štapovi, pruća i sl.

Notes on methodology

The data on production of forest products presented here have been prepared on a basis of data provided by entity statistical offices underlying the regular monthly survey results.

Monthly reports are provided by all companies performing their business activities in the forestry sector and permanently producing forest products.

The data presented here cover only production of forest products manufactured out of the resources from the state-owned forest. Forest products from private forests are not covered here.

The given quantities represent net volume measured in cubic meters

Coniferous are tree species from systematic class of naked-seed plants (Gymnospermae), mostly from Pinaceae tree family. Here belong domestic commercial tree species: european Fir (*Abies alba*), Spruce (*Picea abies*), Scots Pine (*Pinus sylvestris*) and European Black Pine (*Pinus nigra*). Coniferous wood is less complex in structure and in international classification, regardless its mechanical properties, it is classified as *softwood*

Broad leaf are tree species from systematic class of covered-seed plants (Angiospermae). Here belong domestic commercial species: Beech (*Fagus sylvatica*), Sessile Oak (*Quercus petraea*), so cold noble broad leaf trees like species from genera *Fraxinus* (Ash), *Acer* (Maple), *Ulmus* (Elm), *Prunus avium* (Wild Cherry) and hard and soft broad leaf tree species. Broad leaf wood is more complex in structure than coniferous wood and in international classification, regardless its mechanical properties, it is classified as *hardwood*.

Logs are forestry wood products with proper physical and mechanical properties, intended for further mechanical processing (sawing, slicing or peeling).

Mining wood include forestry wood products with proper physical and mechanical properties which natural shape, dimensions and properties are used for construction and maintenance of mining pits. It could also be used for roof constructions.

Other long wood include technical wood which natural shape, dimensions and properties are used for manufacture of utility poles, scaffold poles, foundation poles, masts etc.

Cordwood include wood of bad technical characteristics, round or split, used in chemical processing for production of chemical and mechanical pulp, wooden wool, tannin etc.

Fuelwood is wood intended for heating or production of charcoal.

Other wood, roughly worked is small technical wood like hop and vine poles, other poles, pickets, sticks, handles, wooden rims, brushwood etc.

Izdaje i tiska Agencija za statistiku Bosne i Hercegovine, 71000 Sarajevo, Zelenih beretki 26

Published and printed by the Agency for Statistics of the Bosnia and Herzegovina, 71000 Sarajevo, Zelenih beretki 26

Telefon/Phone: +387 (33) 911 911 · Telefaks/Telefax: +387 (33) 220 622

Elektronička pošta/E-mail: bhas@bhas.ba · Internetska stranica/Web site: <http://www.bhas.ba>

Odgovara ravnatelj Zdenko Milinović

Person responsible: Zdenko Milinović, Director General

Priopćenje priredili: Fuad Bahtanović i Boro Kovačević

Prepared by: Fuad Bahtanović and Boro Kovačević

Periodika izlazenja: tromjesečno / Periodicity: quarterly

Naklada: 150 primjeraka / 150 copies printed

Podaci iz ovog priopćenja objavljuju se i na internetu

First Release data are also published on the Internet
